1. In combination:

a) a headwear piece having a front and rear and comprising a crown having a surface which is grippingly engageable with a wearer's head and a visor projecting in a forward direction away from the crown,

wherein the visor has a relaxed state wherein the visor has a first width dimension taken transversely to a fore-and-aft line and a deformed state,

wherein the visor in the deformed state has a second width dimension that is less than the first width dimension; and

b) at least one holding element,

the at least one holding element maintaining the visor in the deformed state so that the visor has the second width dimension.

- 2. The combination according to claim 1 wherein the at least one holding element comprises a continuous band which extends around the headwear piece.
- 3. The combination according to claim 1 wherein the at least one holding element comprises a band which has first and second parts which are joinable to extend around the headwear piece.
- The combination according to claim 1 wherein the at least one 4. holding element comprises a tubular body which extends around the headwear

2

2

10

2

2

2

2

The combination according to claim 3 wherein the band comprises a string material.

6. The combination according to claim 1 wherein the at least one holding element comprises a cylindrical tube

The combination according to claim wherein the cylindrical tube defines a storage space for the headwear piece and comprises an open end through which the headwear piece can be introduced into the storage space and removed from the storage space and a removable cap for selectively blocking the open end.

The combination according to claim wherein the cylindrical tube has a peripheral wall through which the headwear piece in the storage space can be viewed.

5 / The combination according to claim 1 wherein the visor comprises a foam layer.

The combination according to claim 1 wherein with the visor in the deformed state the visor defines a cylindrical shape.

The combination according to claim 10 wherein with the visor in the deformed state the visor is doubled against itself to extend through 360°.

The combination according to claim 1 wherein the crown is folded against the visor.

10 14. The combination according to claim 1 wherein the crown is folded against itself and the visor.

15. The combination according to claim 13 wherein the visor in the deformed state defines a cylindrical shape and at least a part of the crown resides within the cylindrical shape.

The combination according to claim 1 wherein the crown has a closed, cup shape.

The combination according to claim 1 wherein the crown comprises a head engaging portion extending through 360°.

The combination according to claim 1 wherein the crown comprises a head engaging portion which extends through less than 360°.

Sula 19. In combination:

2

2

2

a) a headwear piece comprising a crown with a surface which is grippingly engageable with a wearer's head and a visor projecting from the crown,

wherein the visor has a deformed state in which the visor is formed into a cylindrical shape; and

- b) at least one holding element, the at least one holding element maintaining the visor in the deformed state.
- 20. The combination according to claim 1 wherein with the visor in the deformed state the cylindrical shape extends through 360°.

25 21. The combination according to claim 16 wherein the visor comprises a foam layer.

The combination according to claim 19 wherein the at least one holding element extends through 360° around the headwear piece.

13